

Designing and building for the **EDITOR EXPERIENCE**



Andreas Sahle - @pixelmord wunderkraut

Who is an editor?

★ Roles in real life

- Content Author
- Editor
- Translator
- Asset Manager



Design for roles



Andreas Sahle - @pixelmord wunderkraut

Roles

- Set up roles like editor and translator ...
- Start testing early with user stories and personas
- the permission system is no replacement for an interface strategy



What does an editor want?

- create pages
- add/edit content
- find and select content / link content
- add menu item
- translate text



How do editors think?

★ editors think in pages

- how shall a “page” look like?



Automatic vs. manual pages

- most websites are a mixture of automatic and manual page creation
- the hard part is defining the separation of editable and „automatic“



How do editors think?

★ everything is content

- „I want to add a picture here“
- „I want to translate **this** text“
- „I want to add another item to the **list**“



everything is content

A Web Page


← → X ⌂ http://mydrupalsite.com

How a *normal* person thinks...

Conference website

My acc

Home About us **Navigation** Travel Exhibits Opportunities



Join us for the 32nd annual conference on good life! Mark your calendars: May 17-19 2011 At Hyne**Content** Center

Register Today

Welcome!

This is a place holder for us to write great things about our conference and make people sign up. It is very important for us that people sign up to this conference. I know the registration fee is pre**Content**, but come on, we need to make money, right? How else we will save up for the exotic holidays?

Powered by Drupal

Our sponsor

BC is our premium sponsor for our event. They are a popular gaming company with lots-a money**Content**. They chose to sponsor this conference. Please check out their website: www.abc.com

<http://drupal.org/node/1175694>

Andreas Sahle - @pixelmord wunderkraut

Is there an editing mode?

- One theme for everything vs. separation in „admin“ and „frontend“ theme
- Crossing the line between „backend“ and „frontend“
- How much „backend“ does an editor need?



Where Drupal makes our life harder

- chronological order is often reverse
- no distinct system for structuring content
- too much interface – total control
- the configuration and editing options are all over the place



Where Drupal makes our life harder

★ more additional functionality leads to loss
of consistency

- Taxonomy for categorizing, for menu structure,
for switching options
- standard menu, menu block, taxonomy menu
- drupal blocks, views blocks, views content
panes, node blocks , minipanels etc.



Where Drupal makes our life easier

★ we are building with a framework

- great architecture
- hook_world_alter
- there's a module for that
- a big community



Interface should be simple and intuitive



Andreas Sahle - @pixelmord wunderkraut

simple and intuitive

- fast & efficient
- avoid confusion
- remove „clutter“



Do editors need HELP?

★ Sometimes less help is more

- don't think help text, think „wizard“
- don't think help text, think „action button“



No help here....

The screenshot shows a Drupal administrative interface. At the top, there is a navigation bar with links: Home, Tasks, Index, Content, Structure, Configuration, Help, and a user icon. Below this, the breadcrumb trail reads: Home > Administration > Help. A main title "Administration menu" is displayed. To the right of the main content area, a vertical dropdown menu is open under the "Help" tab, listing various menu-related modules and functions. The visible items include: admin_menu, backup_migrate, block, contextual, date, dblogenu, design_test, diff, environment_indicator, features, field, field_sql_storage, field_ui, file, filter, googleanalytics, help, i18n, i18n_block, i18n_menu, i18n_string, image, i10n_update, list, locale, and menu. The background of the page features a decorative pattern of blue gears.

The administration menu module provides a dropdown menu arranged for one- or two-click access to most administrative tasks (requires the `menu` permission). Administration menu also provides a `design_test` module, which allows anonymous users to test the theme and CSS files. Integration with the menu varies from module to module; for example, the contributed module `Devel`, for instance, makes strong use of the administration menu to provide access to development tools.

The administration menu [settings page](#) allows you to change the appearance of the menu. While this page is useful for theme, substantial customizations require modifications to your site's theme and CSS files. See the advanced module README for more information.

The menu items displayed in the administration menu depend upon the actual permissions of the viewer. First, the administrator must have the `Access administration menu` (admin_menu module) permission. Second, a user must be a member of a role with the `Access administration menu` permission. Third, only currently permitted links are displayed; for example, if a user is not a member of the `Administrator` role (user module) and `Administer users` (user module), the `User management` menu item is not displayed.

Heeeeeeeelp!



- help - http://www.flickr.com/photos/loop_oh/4541019515/

Most important action

Home » Administration » Structure » Menus

Main menu

+ Add link

Menu name *

A unique name to construct the URL for the menu. It must only contain lowercase letters, numbers and hyphens.

Edit description

MENU LINK

+ Testpage

Save



Most important action

Home > Administration > Structure

Pages •

[+ Add custom page](#) [+ Import page](#)

Type	Storage	Enabled	Search	Sort by	Order	Apply	Reset
<All>	<All>	<All>		Enabled, title	Up		
TYPE	NAME	TITLE	PATH			STORAGE	OPERATIONS
System	node_edit	Node add/edit form	/node/%node/edit			In code	Enable
System	node_view	Node template	/node/%node			In code	Enable
System	search-node	Content	/search/node/!keywords			In code	Enable
System	search-user	Users	/search/user/!keywords			In code	Enable
System	term_view	Taxonomy term template	/taxonomy/term/%taxonomy_term			In code	Enable
System	user_edit	User edit template	/user/%user/edit			In code	Enable
System	user_view	User profile template	/user/%user			In code	Enable

[» Create a new page](#)



Andreas Sahle - @pixelmord wunderkraut

ready for action

DollarShaveClub.com - Our Blades Are F Like Teilen More info

0:03 / 1:34

Share video: [Tweet](#) [Follow](#)

A GREAT SHAVE FOR A FEW BUCKS A MONTH

DO IT

ENLIGHTENED CUSTOMER #167

"I save \$100/yr on shaving now. Basically, I'm a genius.
- Jeff

OUR BLADES

Blade Type	Price
Single Edge	\$1/mo
Double Edge	\$6/mo
Electric	\$9/mo

DELIVERED EACH MONTH

USPS truck delivering to a house.

FREE BLADES FOR LIFE

Earn a free month for every friend you sign up.
1000 friends gets you 83 years of free razors.
...and if you live longer than that, bravo, we'll be happy to keep sending

[GO»](#)

How it Works About Us Contact Us Privacy Terms of service

Chairman's Club FREE

Andreas Sahle - @pixelmord wunderkraut

ready for action

Hero unit

Bootstrap provides a lightweight, flexible component called a hero unit to showcase content on your site. It works well on marketing and content-heavy sites.

Markup

Wrap your content in a `div` like so:

```
1. <div class="hero-unit">
2.   <h1>Heading</h1>
3.   <p>Tagline</p>
4.   <p>
5.     <a class="btn btn-primary btn-large">
6.       Learn more
7.     </a>
8.   </p>
9. </div>
```

Hello, world!

This is a simple hero unit, a simple jumbotron-style component for calling extra attention to featured content or information.

[Learn more](#)



Andreas Sahle - @pixelmord wunderkraut

buttons FTW

Buttons

Button	class=""	Description
Default	btn	Standard gray button with gradient
Primary	btn btn-primary	Provides extra visual weight and identifies the primary action in a set of buttons
Info	btn btn-info	Used as an alternate to the default styles
Success	btn btn-success	Indicates a successful or positive action
Warning	btn btn-warning	Indicates caution should be taken with this action
Danger	btn btn-danger	Indicates a dangerous or potentially negative action
Inverse	btn btn-inverse	Alternate dark gray button, not tied to a semantic action or use



Andreas Sahle - @pixelmord wunderkraut

help when needed

Community

Rezepte Mitglieder Gruppen Tipp: Titel und Beschreibung

Startseite → Inhalt hinzufügen → Rezept erstellen

Rezept erstellen

1. Titel und Beschreibung [Tipp i](#)

Rezeptname *

Mein Rezept

Kurzbeschreibung

Tolles Rezept für alle Tage

2. Rezept

Gib Deinem Rezept einen Namen - so, dass Dein Rezept möglichst gut gefunden werden kann und beschreibe woher Du das Rezept hast oder warum Du es gerne kochst. Mit Sternchen * gekennzeichnete Felder bitte immer ausfüllen.

Visual guidance for the task at hand

273 Zeichen übrig / 300

2. Rezeptbilder hochladen Tipp *i*

+



-

+



-

+



-

Eine neue Datei hinzufügen

Datei auswählen Keine ausgewählt

Hochladen

Step by step

3. Rezeptinformationen Tipp *i*

Lebensmittelgruppe *

- Fisch
- Fleisch
- Früchte
- Geflügel
- Gemüse/Salat
- Hülsenfrüchte
- Kartoffeln/Getreide/Teigwaren
- Milchprodukte/Käse/Eier
- Getränke
- Sonstige

Gerichte *

- Beilagen
- Dessert
- Dip, Gewürzbutterm & Co.
- Fingerfood
- Gebäck
- Getränk
- Hauptspeise
- Suppe
- Vorspeise



Zeitaufwand *

- 0-15 Minuten
- 15-30 Minuten
- 30 Min. und mehr



Vegetarisches Rezept

Schwierigkeitsgrad

- einfach
- mittel
- schwer

Herkunft

- Wert wählen -

Zubereitungsart

- Backen
- Braten
- Dampfgaren
- Dünsten
- Einmachen
- Flambieren
- Fondue
- Frittieren

Sonstiges

- Cholesterinarm
- Fettarm
- Für Diabetiker
- Für Singles
- Glutenfrei
- Lässt sich gut vorbereiten
- Leicht
- Ohne Milch und Eier



finally.....

8. Speichern und veröffentlichen

I agree with the website's [AGB](#)

[Als Entwurf speichern](#)

[Speichern und veröffentlichen](#)

[Vorschau](#)



Andreas Sahle - @pixelmord 

Node forms

- long forms
- „advanced“ options
- content vs. attributes
- content vs. meta data



how to deal with long forms - configuration vs content

M o t h e r s h i p

▶ ✎ THEME DEVELOPMENT

▶ ⚡ JAVASCRIPT

▶ ⚡ .CSS FILES

▼ ◎ CLASSES & MARKUP

Settings to change classes & markup that Drupal drags around

▶ BODY CLASSES

▶ REGION WRAPPER

▶ BLOCK WRAPPER

▶ NODE CLASSES & \$LINKS

▶ FIELD CLASSES

▶ FORMS

▶ MENUS

▶ VIEW CLASSES

separate content from attributes

The screenshot shows a 'Add new Product' dialog window. The left side contains the 'Main Data' section, which includes fields for Title*, Subline, Cover image (with a file upload interface), and Teaser text (with a rich-text editor toolbar). The right side contains the 'Meta Data' section, which includes fields for Sector*, Type*, and Category. The 'Sector*' field has three options: Publishing, Digital business, and Entertainment, with none selected. The 'Type*' field has two options: Product (selected) and Service. The 'Category' field lists twelve options: N/A, Newspapers, Publishing Services, Entertainment Services, Magazines, Digital Services, Web, Mobile, e-commerce, TV, Events, Radio, and Trade Magazines, all of which are unselected.

Sector *
<input type="checkbox"/> Publishing
<input type="checkbox"/> Digital business
<input type="checkbox"/> Entertainment

Type *
<input checked="" type="radio"/> Product
<input type="radio"/> Service

Category
<input type="radio"/> N/A
<input type="radio"/> Newspapers
<input type="radio"/> Publishing Services
<input type="radio"/> Entertainment Services
<input type="radio"/> Magazines
<input type="radio"/> Digital Services
<input type="radio"/> Web
<input type="radio"/> Mobile
<input type="radio"/> e-commerce
<input type="radio"/> TV
<input type="radio"/> Events
<input type="radio"/> Radio
<input type="radio"/> Trade Magazines

Andreas Sahle - @pixelmord wunderkraut

what is important?

MEDIA

Main Data

Title *

A FIELD REPLACING NODE TITLE.

DATE

 04/17/2012

FORMAT: 04/17/2012

Subline

Preview image

 Datei auswählen Keine ausgewählt Upload

FILES MUST BE LESS THAN 128 MB.
ALLOWED FILE TYPES: PNG GIF JPG JPEG.

Image

 Datei auswählen Keine ausgewählt Upload

FILES MUST BE LESS THAN 128 MB.
ALLOWED FILE TYPES: PNG GIF JPG JPEG.

Video URL

Meta Data

Category

 - None -

License

 - None -

Sorting order

META Description

THIS WILL BE OUTPUT AS THE
META DESCRIPTION IN THE HEAD
SECTION OF THE PAGE.

Language

 Language neutral

Content editing form for D8

Create Article 

Home » Add content

Title *
This is the article title

Tags
Enter a comma-separated list of words to describe your content.
tag 1, tag 2

A select field
This is a simple test select field.
Value 1 ▾

Body (Edit summary)

P
[node/add](#)

Publishing options

Published
 Promoted to front page
 Sticky at top of lists

Menu settings

URL path settings

Comment settings

Authoring information

<http://drupal.org/node/1510532>

<http://bojhan.nl/author-ux-known-problems>

Andreas Sahle - @pixelmord wunderkraut



It is easy to get confused by an interface with many controls

Home > Administration > Structure > Pages

Testpage

Summary	Variants » Panel » Content		
Settings	Variant operations		
Basic	Clone	Export	Delete
Access	Clone	Export	Disable
Menu	Add variant	Import variant	
Variants			
Panel			
Summary			
General			
Selection rules			
Contexts			
Layout			
Content			
Preview			

Variant operations

Add content items and change their location with a drag and drop interface.

Display settings

Title type

Manually set

Title

The title of this panel. If left blank, a default title may be used. Set to No Title if you want the title to actually be blank.


Left side **Right side**

Update Update and save Update and preview



Andreas Sahle - @pixelmord wunderkraut

Streamlining the interface



- clutter keyboard - http://www.flickr.com/photos/abhi_ryan/2444817523/



Andreas Sahle - @pixelmord wunderkraut

Show all controls needed for a specific role

Left side Add new pane

Right side Add new pane

Who's online

There is currently 1 user online.

- [admin](#)

Jugis Praemitto

Submitted by Anonymous (not verified) on Mon, 06/11/2012 - 02:25

Cui esca iaceo magna nibh odio praesent vulpes. Huic nutus valetudo verto.

Form widgets

- selectbox from hell
- client side validation
- autocomplete - yes or no?



Finding the right widget

or „the select box from hell”



multiselect

Favorite Pies:

Available Options:

chocolate

apple

pumpkin

blackberry



Selected Options:

cherry

meringue

- <http://drupal.org/project/multiselect>

chosen

Mauritius × |

United States

United Kingdom

Afghanistan

Albania

Algeria

American Samoa

Andorra

Angola

- <http://drupal.org/project/chosen>



multiple selects

select or other

Pick an option*

Option 1

Option 2


Option 3

Other (please type)
My custom value!

- http://drupal.org/project/select_or_other

Regular select field with multiple values

Regular Multi-Select



Same Options but with multiple selects

Multiple Selects:

⊕	Option 1 ▾
⊕	Option 3 ▾
⊕	- None - ▾

Add another item

- http://drupal.org/project/multiple_selects



pick a date

Authored by:

admin

Leave blank for *Anonymous*.

Authored on:

June 2010 1:45AM

Leave blank to use

http://drupal.org/project/date_popup_authored

prevent validation failure

Title *

Testpage

Characters left: 247

An administrative title

Headline

Now that we know who you are, I know who I am. I'm not a mistal

Characters left: 3

- <http://drupal.org/project/maxlength>

Validation and errors

- see errors fast
- connect error messages with the field in which they occurred



client side validation

Create Page

• Title field is required.

Title: *

- why wait for a page reload to find out that you forgot filling in a field?
- http://drupal.org/project/clientside_validation
- HTML5 elements
- http://drupal.org/project/html5_tools



See the messages right where the error occurred

Comment field is required.

Hello World

Fusce ac sit magna. Praesent mattis varius nisl, accumsan vulputate risus mollis nisi. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque quis dictum erat. Mauris tortor enim, luctus vitae pulvinar eget, imperdiet hendrerit erat. Nam vestibulum aliquam tortor id hendrerit. Ut eu odio purus. In non massa metus. Fusce vestibulum laoreet enim, et fermentum erat. Praesent faucibus tortor liquip, in dictum lectus ullamcorper nisi. Cras non magna tempor.

Duis id dolor ut non turpis id est. Mauris tortor enim, luctus vitae pulvinar eget, imperdiet hendrerit erat. Nam vestibulum aliquam tortor id hendrerit. Ut eu odio purus. In non magna tempor.

In aliquam varius, augue vel ultricies. Etiam viverra malesuada faucibus. Nulla sagittis, augue in hendrerit varius, odio ante ultricies quam, eget elementum magna sed in tortor. Praesent non volutpat nisi.

Inline Messages
Move \$messages for selected forms inline

Reply

Your name: johann

Subject:

Comment:

Input format:

Comment field is required.

Hello World

Fusce ac sit magna. Praesent mattis varius nisl, accumsan vulputate risus mollis nisi. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque quis dictum erat. Mauris tortor enim, luctus vitae pulvinar eget, imperdiet hendrerit erat. Nam vestibulum aliquam tortor id hendrerit. Ut eu odio purus. In non massa metus. Fusce vestibulum laoreet enim, et fermentum erat. Praesent faucibus tortor liquip, in dictum lectus ullamcorper nisi. Cras non magna tempor.

Duis id dolor ut non turpis id est. Mauris tortor enim, luctus vitae pulvinar eget, imperdiet hendrerit erat. Nam vestibulum aliquam tortor id hendrerit. Ut eu odio purus. In non magna tempor.

In aliquam varius, augue vel ultricies. Etiam viverra malesuada faucibus. Nulla sagittis, augue in hendrerit varius, odio ante ultricies quam, eget elementum magna sed in tortor. Praesent non volutpat nisi.

Reply

Your name: johann

Subject:

Comment:

Input format:

- http://drupal.org/project/inline_messages
- <http://drupal.org/project/ife>



Andreas Sahle - @pixelmord wunderkraut

Finding and selecting content

- I wish we had an autocomplete....
- autocomplete is not always the best solution



not complete

o [Add content](#)

Configure new Existing node

Enter the title or NID of a node

t
testpage (by admin) @1, @2, ..., @N to use arguments passed into the panel.

Override title

You may use %keywords from contexts, as well as %title to contain the original title.

Leave node title Advanced: if checked, do not touch the node title; this can cause the node title to appear twice unless your theme is aware of this.

Link the node title to the node Check this box if you would like your pane title to link to the node.

Include node links for "add comment", "read more" etc.

Template identifier


This identifier will be added as a template suggestion to display this node: node--panel--IDENTIFIER.tpl.php. Please see the Drupal theming guide for information about template suggestions.

Build mode

Teaser ▾

Select a build mode for this node.

[Finish](#) [Cancel](#)



autocomplete with meta data

The screenshot shows a search interface with the following elements:

- Search content:** A search bar containing the text "Lorem".
- Content · Article:** A section header.
- Blandit Os Lorem Saluto Vulpes**: A result by Anonymous on 12/23/2011 at 11:43.
- Content · Basic page:** A section header.
- Lorem ipsum dolor sit amet.**: A result by admin on 12/27/2011 at 00:22. This item is highlighted with a blue background.
- Lorem ipsum dolor**: A result by Anonymous on 12/24/2011 at 08:20.
- Lorem ipsum dolor sit amet, consectetur adipiscing elit.**: A result by admin on 12/21/2011 at 10:16.
- class**: A field input box.
- Insert link** and **Cancel** buttons.

- <http://drupal.org/project/linkit>

putting things in the „right“ order + enhancing the autocomplete

Show row weights

RELATED NEWS:

Related News [nid:3]	Edit	Create News
Another related news article [nid:4]	Edit	Create News
	+ Create News	

- <http://drupal.org/project/nodeconnect>
- http://drupal.org/project/references_dialog



one step further: select using a view

Choose an existing content

VIEW EDIT TRANSLATE EDIT LAYOUT Close Window

Content type Product Type Product Category Title (title_field)

Product ✓ - Any - Any - Apply

Top Searches: Mag


TITLE	CREATION DATE	SELECT CONTENT
Wörter	02/14/2012 - 10:04	<button>SELECT</button>
Wörter	02/13/2012 - 15:42	<button>SELECT</button>
Wörter	02/08/2012 - 13:59	<button>SELECT</button>
Wörter	01/17/2012 - 20:09	<button>SELECT</button>
Wörter	01/17/2012 - 00:42	<button>SELECT</button>
Wörter	12/12/2011 - 17:07	<button>SELECT</button>
Wörter	12/12/2011 - 17:05	<button>SELECT</button>
Wörter	12/12/2011 - 17:02	<button>SELECT</button>
Wörter	12/12/2011 - 16:59	<button>SELECT</button>
Wörter	12/12/2011 - 16:56	<button>SELECT</button>

1 2 3 4 5 6 7 8 9 ... next > last »

Cancel

• <http://drupal.org/sandbox/floretan/1478684>

create content in the process of placing it into a panel



- <http://drupal.org/sandbox/floretan/1478684>



Andreas Sahle - @pixelmord wunderkraut

What is the path?

Main menu •

LIST LINKS **EDIT MENU**

Menu link title *

The text to be used for this link in the menu.

Path *

The path for this menu link. This can be an internal Drupal path such as *node/add* or an external URL such as <http://drupal.org>. Enter `<front>` to link to the front page.

Description

Shown when hovering over the menu link.

Enabled

Menu links that are not enabled will not be listed in any menu.



Content menu

EXAMPLE



Andreas Sahle - @pixelmord  wunderkraut

standard menu interface: isolated

Home » Administration » Structure » Menus

OLD

Main menu

[LIST LINKS](#) [EDIT MENU](#)

[+ Add link](#)

[Show row weights](#)

MENU LINK	ENABLED	OPERATIONS
+ Home	<input checked="" type="checkbox"/>	edit delete
+ Products	<input checked="" type="checkbox"/>	edit delete
+ Company	<input checked="" type="checkbox"/>	edit delete
+ About us	<input checked="" type="checkbox"/>	edit delete
+ Philosophy	<input checked="" type="checkbox"/>	edit delete
+ Partners	<input checked="" type="checkbox"/>	edit delete
+ Jobs	<input checked="" type="checkbox"/>	edit delete

[Save configuration](#)



content menu interface: integrated

Home » Administration » Structure » Menus

Main menu

NEW

EDIT **CONFIGURE**

Show row weights

MENU LINK	ENABLED	TARGET	OPERATIONS
⊕ Home	<input checked="" type="checkbox"/>	Path	configure item
⊕ Products	<input checked="" type="checkbox"/>	Page	edit content
⊕ Company	<input checked="" type="checkbox"/>	Page	edit content
⊕ About us	<input checked="" type="checkbox"/>	Page	edit content
⊕ Philosophy	<input checked="" type="checkbox"/>	Page	edit content
⊕ Partners	<input checked="" type="checkbox"/>	URL	configure item
⊕ Jobs	<input checked="" type="checkbox"/>	Page	edit content
⊕ New menu item <input type="text"/>	<input checked="" type="checkbox"/>	URL	

Save



Andreas Sahle - @pixelmord wunderkraut



create menu item and a new content in one flow

Home » Administration » Structure » Menus

Main menu

EDIT CONFIGURE

Show row weights

MENU LINK	ENABLED	TARGET	OPERATIONS
Home	<input checked="" type="checkbox"/>	Path	<button>configure item</button>
Company	<input checked="" type="checkbox"/>	Page	<button>edit content</button>
About us	<input checked="" type="checkbox"/>	Page	<button>edit content</button>
Philosophy	<input checked="" type="checkbox"/>	Page	<button>edit content</button>
New menu item	<input checked="" type="checkbox"/>	<ul style="list-style-type: none">✓ URLDummyNew PageExisting contentMenu position rule	<button>edit content</button>

Save

```
graph LR; A([New menu item]) --> B["New Page"]; C([edit content]); D([edit content]); E([edit content]); F([edit content]); G([edit content]);
```



Andreas Sahle - @pixelmord wunderkraut

create menu item with new content

The screenshot illustrates the process of creating a menu item with associated content in the Drupal administration interface.

Step 1: Main menu configuration
The top part shows the "Main menu" configuration screen. A new menu item titled "New menu item" has been added under the "Company" menu. The "TARGET" column shows a dropdown menu with options: "URL", "External", "New page" (which is selected and highlighted with a red circle), "Existing content", and "Menu position rule". The "Save" button is also highlighted with a red circle and has a red arrow pointing to it from the bottom.

Step 2: Create Page
A modal dialog titled "Create Page" is open. It contains a success message: "You're about to create a new menu item with a new content. Complete the process by filling out and saving the form below." The "Title" field is pre-filled with "Company" and is highlighted with a red circle. The "Provide a menu link" checkbox is checked and highlighted with a red circle. The "Save" button is highlighted with a red circle and has a red arrow pointing to it from the bottom.

Step 3: Confirmation and final save
The bottom part shows the confirmation message "Page Company has been created." The "Save" button is highlighted with a red circle and has a red arrow pointing to it from the bottom. The "New menu item" node is now listed in the "Main menu" configuration table, with its target set to "Page".

Andreas Sahle - @pixelmord wunderkraut

create menu item with existing content

The screenshot illustrates the process of creating a menu item in the Drupal administration interface.

Step 1: In the "Main menu" configuration screen, a new menu item titled "New menu item" is being created under the "Company" menu. The "TARGET" field is set to "Page". A context menu is open over the "New menu item" row, with the "Existing content" option highlighted and circled in red. A red arrow points from the "Save" button at the bottom left of this screen to the "Existing content" option in the context menu.

Step 2: A modal dialog box appears, confirming the action: "You're about to create a new menu item for an existing content. Complete the process by finding and selecting an existing content to add to the menu." The "select" link next to the "About us" content item in the list is circled in red. A red arrow points from this circled link to the "Existing content" option in the context menu from the previous step.

Step 3: The "About us" content item is selected and added to the menu. The "New menu item" now has a URL field populated with "/about-us". A red arrow points from the "About us" content item in the list back to the "New menu item" row in the main configuration screen, indicating the successful addition of the content item to the menu.

Andreas Sahle - @pixelmord wunderkraut

Thank You !

See you in Munich
@Drupalcon



Andreas Sahle - @pixelmord wunderkraut